

VIDVIE PRODUCT CATALOG

VIDVIE

<https://vidvietech.com/>

Foshan
Office: D1-03, Building D, Nanhai New Economic Industry Center,
No. 1 Xianan Road, Guicheng Street, Nanhai District, Foshan City, Guangdong

Shop NO.1 : No. 127, the 1st floor, Guangzhou the thirteen-hongs Culture and Technology Center, Exhibition
Building on the right side of New Asia, No. 37 Xidi Erma Road, Liwan District, Guangzhou

Shenzhen
RmY2-5F-03, No.5 Creative Zone, Yayuan Road, Bantian Street, Longgang District, Shenzhen, China

Shop NO.2 : A46-47, 1/F, Yale Smart Wearable International Market, Block D, Electronic & Technology Building,
Huaqiang North, Shenzhen

Contact Us:


✉ business@vidvietech.com

☎ +86 18565066884

🌐 Rain-VIDVIE

Super Design. Top Life >>>

DATA CABLE



CB486

HOT



AL1105

Function: audio cable
Connector material: pure copper and gold-plated plug
Core: 36 enameled copper wires
Product form: 3.5mm male to 3.5mm male
Material: TPE
Length: 150cm
Weight: 30.78g
Color: Black / White



HOT



CB411

Function: Charge&Data
Material: TPE
Features: Stepped plug design, High compatibility
Core: 88 copper wires, support data transmission
Output: 2.1A(MAX)
Length: 100cm
Color: White/Black



AL1108

Function: Data transmission
Material: TPE
Core: 36 enameled copper wires
Product form: Lightning male to 3.5mm male
Interface: 3.5mm & Lightning
Length: 150cm
Weight: 34g
Color: White



AL1109

Function: Data transmission
Material: TPE
Core: 36 enameled copper wires
Product form: Type-C male to 3.5mm male
Interface: 3.5mm & Type-C
Length: 150cm
Weight: 32g
Color: White



AL1110

Function: Data transmission
Material: aluminum shell + braided wire
Interface: 3.5mm & 3.5mm
Length: 180cm
Weight: 19.7g
Color: black



New







AL1111

Function: Data transmission
Material: aluminum shell + braided wire
Interface: 3.5mm & Type-C
Length: 180cm
Weight: 20g
Color: black







AL1112

Function: Data transmission
Material: aluminum shell + braided wire
Interface: 3.5mm & Lightning
Length: 180cm
Weight: 19.8g
Color: black







AL1113

Function: Data transmission
Material: aluminum shell + braided wire
Interface: 3.5mm & Lightning/Type-C
Length: 100cm
Weight: 27.8g
Color: Grey







AL1114

Function: Data transmission
Material: aluminum shell + braided wire
Interface: 3.5mm & 3.5mm/Lightning/Type-C
Length: 100cm
Weight: 33g
Color: Grey







AL1115

Material: aluminum alloy + braided wire
Audio interface: 3.5mm
Charging interface: Type-C
Charging power: 27W(9V/3A)
Length: 13cm
Product weight: 11.5g







AL1116

Material: aluminum alloy + braided wire
Audio interface: Type-C
Charging interface: Type-C
Charging power: 27W (9V/3A)
Length: 13cm
Product weight: 11.5g







AL1117

Material: aluminum alloy + braided wire
Audio interface: 3.5mm
Charging interface: Lightning
Charging power: 12W(5V/2.4A)
Length: 13cm
Product weight: 10.8g







AL1118

Material: aluminum alloy + braided wire
Audio interface: Lightning
Charging interface: Lightning
Charging power: 12W(5V/2.4A)
Length: 13cm
Product weight: 10.9g







AL1119

Material: aluminum alloy + braided wire
Interface: IP female connector to Type-C male socket
Charging power: 27W(9V/3A)
Length: 12cm
Product weight: 7.82g





New



AL1120

Material: Aluminum shell + braided wire
Audio interface: DC3.5mm
Charging interface: Type-C
Charging power: 60W
Length: 13cm
Weight: 11.01g



New



AL1121

Material: Aluminum shell + braided wire
Audio interface: Type-C
Charging interface: Type-C
Charging power: 60W
Length: 13cm
Weight: 11.19g



New



AL1122

Material: Aluminum shell + braided wire
Audio interface: DC3.5mm
Charging interface: IP
Charging power: 12W(5V/2.4A)
Length: 13cm
Weight: 10.8g



New



AL1123

Material: Aluminum shell + braided wire
Audio interface: IP
Charging interface: IP
Charging power: 12W(5V/2.4A)
Length: 13cm
Weight: 10.98g



New



AL1124

Material: Aluminum shell + braided wire
Audio interface: DC 3.5mm female to Type-C male
Length: 13cm
Weight: 6.87g



New



AL1125

Material: Aluminum shell + braided wire
Audio interface: DC 3.5mm female to iP male
Length: 13cm
Weight: 6.84g



New



AL1126

Material: Aluminum alloy + silicone
Audio interface: Type-C female to iP male
Output: PD 27W
Weight: 3.89g



New




AL1127

Material: Aluminum alloy + silicone
Audio interface: iP female to Type-C male
Output: PD 27W
Weight: 3.74g



New



AL1128

Material: aluminum alloy
Audio interface: Lightning
Interface: USB 3.0 female iP male
Data transmission: 480Mbps
Product weight: 5.16g



New



AL1129

Material: aluminum alloy
Audio interface: Lightning
Interface: USB 3.0 female Type-C male
Data transmission: 480Mbps
Product weight: 4.77g





HOT

CB412

Function: Charge&Data
Material: PVC / TPE
Features: Stepped plug design, High compatibility
Core: 98 copper wires, support data transmission
Output: 2.1A(MAX)
Length: 200cm
Color: White

HOT

CB495

Function: Charge&Data
Material: TPE+ABS
Features: Stepped plug design, High compatibility
Core: 118 copper wires, support data transmission
Output: 2.4A(MAX)
Length: 120cm
Color: White

HOT

CB443 1m / 2m / 3m

Function: Charge&Data
Material: PVC
Features: Stepped plug design, High compatibility
Core: 106 copper wires, support data transmission
Output: 2.4A(MAX)
Length: 100cm Color: White
Category: Micro or Lightning or Type-C

HOT

CB491

Function: Charge&Data
Material: braided wire + aluminum alloy
Features: Stepped plug design, High compatibility
Core: 72 five-strand cores, support PD protocol
Output: 2.4A(MAX)
Length: 120cm
Color: Black

5A 3A

CB486

Function: Charge&Data
Material: TPE
Features: Stepped plug design, High compatibility
Core: 152 copper wires, support data transmission
Output: Lightning: 3A Micro: 5A Type-C: 5A
Length: 120cm
Color: white

HOT

CB499

Function: Charge&Data
Material: braided wire + TPE
Features: Soft braided wire, easy to carry, not easy to knot
Core: 118copper wires, support data transmission
Output: 2.4A(MAX)
Length: 120cm
Color: Black orange

PD 60W

CB463

Function: Charge&Data
Material: TPE
Features: Stepped plug design, High compatibility
Core: 104 five-strand cores, support PD protocol
Output: 3A(MAX)
Length: 100cm
Color: White

PD 20W

CB499C&i

Function: Charge&Data
Material: braided wire + TPE
Features: Soft braided wire, easy to carry, not easy to knot
Core: 118copper wires, support data transmission
Output: PD 20W
Length: 120cm
Color: Black orange



CB472

Function: Charge&Data
Material: TPE+ABS
Features: Stepped plug design, High compatibility
Core: 111 five-strand cores, support PD protocol
Output: 20V / 3A (MAX)
Length: 100cm
Color: White



CB477

Function: Charge&Data
Material: TPE
Features: Step plug design, High compatibility
Core: 152 copper wires, passing current 3A
Output: 9V / 2A(MAX)
Length: 100cm
Color: White



CB4003

Function: Charge
Material: TPE+ABS
Features: Stepped plug design, High compatibility
Core: 100 copper wires, does not support data transmission
Output: 2.4A(MAX)
Length: 120cm
Color: White



CB4010

Function: Charging & Does not support data transfer
Material: ABS+TPE
Features: Stepped plug design, High compatibility
Lightning output: 2.4A (MAX)
Micro output: 2.4A (MAX)
Type-C output: 2.4 (MAX)
Length: 120cm
Color: White/Black



CB456

Function: Charge&Data
Material: PVC
Features: Stepped plug design, High compatibility
Core: 80 0.1 copper wires, supporting data transmission
Output: 2.41A(MAX)
Length: 100cm
Color: White
Category: Micro or Lightning or Type-C



2.4A

CB4016



CB4016

Material: TPE
Output: 2.4A(MAX)
Length: 100cm
Color: White



VI-C510

Function: Charge&Data
Material: PVC
Features: Stepped plug design, High compatibility
Output: 5V/3.1A(MAX)
Length: 100cm
Color: White





CB4008

CB4011

CB4014

CB4008

Function: Charge&Data
Material: Braided wire + TPE
Features: Stepped plug design, High compatibility
Output: 2.4A(MAX)
Length: 120cm
Color: Black / White



CB4012

Material: TPE+ABS
Output: 3A(5V/3A)
Length: 120cm
Color: Black / White



CB4014

Material: TPE
Output: 2.4A(MAX)
Length: 100cm
Color: Orange & White/Black & White



CB4011

Material: braided wire + ABS
Output: 5V/3A (lightning & Micro)
11V/6A (Type-C)
Length: 120cm/200cm
Color: White



CB4011C&i

Material: braided wire + ABS
Output: 9V/3A, 12V/2.5A(PD30W)
Length: 120cm/200cm
Color: White



CB4011C&C

Material: braided wire + ABS
Output: 20V/5A(100W)
Length: 120cm/200cm
Color: White



CB4013C&i

Material: TPE+ABS
Output: 9V/3A, 12V/2.5A
Length: 100cm
Color: White



CB4013C&C

Material: TPE+ABS
Output: 20V/5A(100W)
Length: 100cm
Color: White





CB4012C&i

Material: TPE+ABS
Output: 9V/3A, 12V/2.5A
Length: 120cm
Color: Black / White



CB4012C&C

Material: TPE+ABS
Output: 20V/3A
Length: 120cm
Color: Black / White



CB4014C&i

Material: TPE
Output: 3A(MAX)
Length: 100cm
Color: Orange & White



CB4017

Material: braided wire
Output: Lightning and Micro 5V/3A
Type C: 66W (11V/6A)
Length: 120cm
Color: Black



CB4017C&i

Material: braided wire
Output: PD 30W
Length: 120cm
Color: Black



CB4019

Material: TPE
Output: 5V/2.4A
Length: 100cm
Color: Orange & White/Orange & Black



CB4019C&i

Material: TPE
Output: 3A
Length: 100cm
Color: Orange & White/Orange & Black





CB4020

Material: braided wire
Output: 5V/3A
Length: 120cm
Color: White



CB4020C&i

Material: braided wire
Power: PD 30W
Length: 120cm
Color: White



CB4023

Material: TPE
Output: 5V/3A
Length: 150cm
Color: White



CB4021

Material: Liquid silicone wire
Output: 5V/2.4A(MAX)
Length: 100cm
Color: White/Black



CB4022 Liquid Silicone Wire

Material: braided wire + aluminum shell
Output: 5V/3A
Length: 120cm
Color: Black & Blue





3A

New

CB4024

Output: 5V/3A
Material: two-color braided wire
Length: 120cm
Product weight: 32.7g
Color: White/Black

3A

New

CB4025

Output: 3A
Material: Silicone wire
Length: 120cm
Product weight: 27.2g

New

PD 30W

CB4024C&i

Output: PD 30W
Material: two-color braided wire
Length: 120cm
Product weight: 35.4g
Color: White/Black

New

PD 30W

CB4025C&i

Output: 30W
Material: Silicone wire
Length: 120cm
Product weight: 29.5g

New

PD 100W

CB4024C&C

Output: 100W (full protocol)
Material: two-color braided wire
Length: 120cm
Product weight: 39.3g
Color: White/Black

New


PD 60W

CB4025C&C

Output: 60W
Material: Silicone wire
Length: 120cm
Product weight: 29.5g



New
3A



CB4027

Output: 3A(60W)
Material: two-color braided wire
Length: 120cm
Product weight: 19.3g



New
PD 100w



CB4028i

Output: 3A
Material: Silicone
Length: 120cm
Product weight: 26.6g



New
PD 100w



CB4026

Material: braided wire + aluminum shell
Type-C to Type-C Power: 100W
Type-C to Lightning Power: 10W
Type-C to Watch power: 2.5W
Length: 120cm
Product weight: 66.2g
Color: White/Black



New
6A



CB4028T

Output: 66W(11V/6A)
Material: Silicone
Length: 120cm
Product weight: 26.6g



New
PD 60w



CB4028C&C

Output: 60W
Material: Silicone
Length: 120cm
Product weight: 26.6g



New
PD 30w



CB4028C&i

Output: 30W
Material: Silicone
Length: 120cm
Product weight: 26.6g



New

PD 60W

CB4028

Type-C & Type-C output: 60W
 Type-C & Lightning output: 30W
 USB & Type-C output: 12W
 USB & Lightning output: 12W
 Simultaneous use: 80W Max
 Material: aluminum alloy + silicone
 Length: 120cm
 Product weight: 54.4g

New

PD 100W

CB4029

Type-C & Type-C output: 100W
 Type-C & Lightning output: 30W
 USB & Type-C output: 12W
 USB & Lightning output: 12W
 Simultaneous use: 104W Max
 Material: aluminum alloy + silicone
 Length: 120cm
 Product weight: 54.4g

New

2.4A

CB4030i

Output: 2.4A(MAX)
 Material: Silicone + aluminum shell
 Length: 120cm
 Product weight: 25g

New

2.4A

CB4030V

Output: 2.4A(MAX)
 Material: Silicone + aluminum shell
 Length: 120cm
 Product weight: 25g

New

2.4A

CB4030T

Output: 2.4A(MAX)
 Material: Silicone + aluminum shell
 Length: 120cm
 Product weight: 25g



New

3A



CB4031i

Output: 3A
Material: PVC
Length: 100cm
Product Weight: 31.14g

Reliable raw materials

Strong and sturdy

fast charging



New

3A



CB4031V

Output: 3A
Material: PVC
Length: 100cm
Product Weight: 30.74g

Reliable raw materials

Strong and sturdy

fast charging



New

3A



CB4031T

Output: 3A
Material: PVC
Length: 100cm
Product Weight: 31.68g

Reliable raw materials

Strong and sturdy

fast charging



New

60w



CB4031C&C

Output: 60W
Material: PVC
Length: 100cm
Product Weight: 29.39g

Reliable raw materials

Strong and sturdy

fast charging



New

30w



CB4031C&i

Output: 30W
Material: PVC
Length: 100cm
Product Weight: 29.63g

Reliable raw materials

Strong and sturdy

fast charging



New

2.4A



CB4032i

Output: 2.4A
Material: Liquid silicone
Length: 100cm
Product Weight: 24.9g

Reliable raw materials

Strong and sturdy

fast charging



New

2.4A



CB4032V

Output: 2.4A
Material: Liquid silicone
Length: 100cm
Product Weight: 25.27g

Reliable raw materials

Strong and sturdy

fast charging



New

2.4A



CB4032T

Output: 2.4A
Material: Liquid silicone
Length: 100cm
Product Weight: 25.05g

Reliable raw materials

Strong and sturdy

fast charging



New

2.4A



CB4032C&C

Output: 20W
Material: Liquid silicone
Length: 100cm
Product Weight: 24.76g

Reliable raw materials

Strong and sturdy

fast charging



New

2.4A



CB4032C&i

Output: 20W
Material: Liquid silicone
Length: 100cm
Product Weight: 24.47g

Reliable raw materials

Strong and sturdy

fast charging



New

3A



CB4033i

Output: 3A
Material: braided wire
Length: 120cm
Product Weight: 32.52g
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

66w



CB4033T

Output: 66W
Material: braided wire
Length: 120cm
Product Weight: 35.15g
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

60w



CB4033C&C

Output: 60W
Material: braided wire
Length: 120cm
Product Weight: 33.73g
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

30w



CB4033C&i

Output: 30W
Material: braided wire
Length: 120cm
Product Weight: 34.2g
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

100w



CB4034C&C

Output: 100W
Material: braided wire
Length: 120cm
Product Weight: 33.73g

Braided Wire Protection

Strong and sturdy

Fast charging



New

3A



CB4035i

Output: 3A
Material: Zinc alloy + braided wire
Length: 120cm
Product Weight: 34.7g

Braided Wire Protection

Strong and sturdy

Fast charging



New

66w



CB4035T

Output: 66W
Material: Zinc alloy + braided wire
Length: 120cm
Product Weight: 35.18g

Braided Wire Protection

Strong and sturdy

Fast charging



New

60w



CB4035C&C

Output: 60W
Material: Zinc alloy + braided wire
Length: 120cm
Product Weight: 41.15g

Braided Wire Protection

Strong and sturdy

Fast charging



New

30w



CB4035C&i

Output: 30W
Material: Zinc alloy + braided wire
Length: 120cm
Product Weight: 33.19g

Braided Wire Protection

Strong and sturdy

Fast charging



New

3A



CB4036i

Output: 3A
Material: Braided wire + aluminum shell
Length: 120cm
Product Weight: 31.9g

Braided Wire Protection

Strong and sturdy

Fast charging



CB4036T

Output: 66W
Material: Braided wire + aluminum shell
Length: 120cm
Product Weight: 32.2g

Braided Wire Protection
 Strong and sturdy
 Fast charging

CB4036C&C

Output: 60W
Material: Braided wire + aluminum shell
Length: 120cm
Product Weight: 29.8g

Braided Wire Protection
 Strong and sturdy
 Fast charging

CB4036C&i

Output: 30W
Material: Braided wire + aluminum shell
Length: 120cm
Product Weight: 29.7g

Braided Wire Protection
 Strong and sturdy
 Fast charging

CB4037C&C

Output: 100W
Material: Braided wire + aluminum shell
Length: 120cm
Product Weight: 29.8g

Braided Wire Protection
 Strong and sturdy
 Fast charging

CB4038i

Interface: iP
Output: 5V/3A
Material: braided wire + aluminum
Length: 1m/2m/3m
Color: White/Black

Braided Wire Protection
 Strong and sturdy
 Fast charging



New

3A



CB4038V

Interface: V8
Output: 5V/3A
Material: braided wire + aluminum
Length: 1m/2m/3m
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

3A



CB4038T

Interface: Type-C
Output: 5V/3A
Material: braided wire + aluminum
Length: 1m/2m/3m
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

60w



CB4038C&C

Interface: Type-C to Type-C
Output: 60W
Material: braided wire + aluminum
Length: 1m/2m/3m
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

30w



CB4038C&i

Interface: Type-C to iP
Output: 30W
Material: braided wire + aluminum
Length: 1m/2m/3m
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging



New

3A



CB4039

Interface: USB-A to iP+TC+TC
Output: 3A
Material: braided wire + aluminum shell
Length: 1m(100cm+20cm)
Product Weight: 49g
Color: White/Black

Braided Wire Protection

Strong and sturdy

Fast charging





VIDVIE

<https://vidvietech.com/>

Foshan
Office: D1-03, Building D, Nanhai New Economic Industry Center,
No. 1 Xianan Road, Guicheng Street, Nanhai District, Foshan City, Guangdong

Shop NO.1 : No. 127, the 1st floor, Guangzhou the thirteen-hongs Culture and Technology Center, Exhibition
Building on the right side of New Asia, No. 37 Xidi Erma Road, Liwan District, Guangzhou

Shenzhen
RmY2-5F-03, No.5 Creative Zone, Yayuan Road, Bantian Street, Longgang District, Shenzhen, China

Shop NO.2 : A46-47, 1/F, Yale Smart Wearable International Market, Block D, Electronic & Technology Building,
Huaqiang North, Shenzhen

Contact Us:

✉ business@vidvietech.com

☎ +86 18565066884

☎ Rain-VIDVIE



VIDVIE® is a registered trademark, owned by Shenzhen Aifeng Chengpin Trading Co., Ltd. Shenzhen Aifeng Chengpin Trading Co., Ltd. has all the right to interpret matters related to this album.
The products displayed in the VIDVIE full-category product catalog are new products as of January 2021. New products on the shelves after January 2021 are not in this catalog. You can consult our sales staff for the latest product information.
If the products shown in this album are revised in the future, please refer to the information provided by the salesperson of our company. This album is for reference only.