

VIDVIE PRODUCT CATALOG

VIDVIE

<https://vidvietech.com/>

Foshan
Office: D1-03, Building D, Nanhai New Economic Industry Center,
No. 1 Xianan Road, Guicheng Street, Nanhai District, Foshan City, Guangdong

Shop NO.1 : No. 127, the 1st floor, Guangzhou the thirteen-hongs Culture and Technology Center, Exhibition
Building on the right side of New Asia, No. 37 Xidi Erma Road, Liwan District, Guangzhou

Shenzhen
RmY2-5F-03, No.5 Creative Zone, Yayuan Road, Bantian Street, Longgang District, Shenzhen, China

Shop NO.2 : A46-47, 1/F, Yale Smart Wearable International Market, Block D, Electronic & Technology Building,
Huaqiang North, Shenzhen

Contact Us:

✉ business@vidvietech.com

☎ +86 18565066884

🌐 Rain-VIDVIE

Super Design. Top Life >>>

WIRELESS SPEAKERS



SP919

SP906



SP906

Wireless version: 5.0
Battery capacity: 1200mAh
Working time: 4 hours
Charging time: 3 hours
Output power: 3W X 2
Product size: 210 X 126 X 132mm
Weight: 622g



Long battery life



Fast connection



Wireless 5.0



Ultra-portable



SP914

Wireless version: 5.0
Battery capacity: 3600mAh
Working time: 25 hours (30% volume)
Charging time: 3 hours
Working range: 10m
Product size: 186 X 62 X 50mm
Weight: 508g



Long battery life



Fast connection



Wireless 5.0



Ultra-portable





SP919



SP920



SP916

Wireless version: 4.2
Battery capacity: 4.5A lead-acid battery
Working time: 4-5 hours
Charging time: 6 hours
Support play mode:
Wireless/TWS, FM, U disk, TF card AUX play mode
Product size: 4300 X 300 X 210mm
Weight: 7.2KG



SP919

Wireless version: 5.3
Battery capacity: 7.4V/2000mAh
Working time: ≥15h
Charging time: 3 hours
Output power: 2*15W
Product size: 71 X 181 X 71mm
Weight: 514g



SP920

Wireless version: V5.3
Output power: 50W
Battery capacity: 7.4V/4000mAh
Working time: ≥15h
Charging time: about 4h
Product weight: 1024.5g
Product size: 110*110*168mm



New



SP924

Wireless version: V5.0 Output power: 2*30W
Battery capacity: 3.7V/4000mAh
Working time: ≥4-5h (70% volume)
Charging time: 6-8h
Product weight: 2440g Product color: Black
Product size: 360*158*180mm
Operating temperature: 0C° - 55C°





SP922



SP923



SP922

Wireless version: V5.0
Output power: 3W
Battery capacity: 3.7V/600mAh
Working time: about 4-6h (50% volume)
Charging time: about 1.5h
Product weight: 211.4g
Product size: 79.6*67*79.6mm



8W
Power

SP923

Wireless version: V5.3
Output power: 8W
Battery capacity: 3.7V/2000mAh
Working time: 8h (medium volume)
Charging time: 3h
Product weight: 490g
Product size: 100*100*138.5mm





SP926



SP927




SP926

Wireless version: V5.3
 Product material: Silicone + tarpaulin
 Output power: 15W Battery capacity: 3.7V/1800mAh
 Working time: About 4h (50% volume)
 Charging time: about 2.5h Product weight: 505.3g
 Product color: black
 Product size: 100mm*114mm
 Working temperature: 0C° - 55C°



SP927

Wireless version: V5.3
 Product material: Silicone + tarpaulin
 Output power: 60W(2*30W) Battery capacity: 7.4V/3600mAh
 Working time: About 6h (50% volume) Charging time: about 3h
 Product weight: 1283.7g Product color: black
 Product size: 100*228MM
 Working temperature: 0C° - 55C°





SP926



SP927

15W
Power

SP926

Battery capacity: 1800mAh Play time: 5-6h
 Charging time: 2.5h Speaker power: 5W
 Night light power: 2.4W
 Product size: 88.5*88.5*240mm
 Product weight: 390g Color: beige
 Working temperature: -10°C - 50°C

Colorful Light

Ultra Long Endurance

Touch Switch

Shocking Sound Effects

Night Light

WIRELESS SPEAKERS



XL-SP906



XL-SP911



New

10W
Output Power



XL-SP904

Wireless version: V5.3 Product material: silicone
Output power: 10W Battery capacity: 1800mAh
Working time: 23h (50% volume)
Charging time: 3h Product weight: 463g
Product color: black Product size: 100*58*100mm
Operating temperature: 0C°- 55C°



New

40W
Output Power



XL-SP907

Wireless version: V5.3 Product material: Environmentally friendly two-color tarpaulin
Output power: 40W Battery capacity: 10000mAh
Working time: 12h (50% volume) Charging time: 4h
Product weight: 870g Product color: black
Product size: 83*232*83mm Operating temperature: -20°-65°C



New

24W
Output Power



XL-SP905

Wireless version: V5.3 Product material: Environmentally friendly HB class flame retardant
Output power: 2*12W Battery capacity: 4000mAh (7.4V/2000mA)
Working time: 4h (35% volume) Charging time: 5h
Product weight: 520g Product color: black
Product size: 187.6*62*50mm Operating temperature: -20°-65°C



New

80W
Output Power



XL-SP909

Wireless version: V5.0 Product material: Streamlined iron grid
Output power: 80W Battery capacity: 10400mAh
Working time: 4h (100% volume) Charging time: 4h
Product weight: 1560g Product color: black
Product size: 240*91*82mm Operating temperature: -20°-65°C



New

24W
Output Power



XL-SP906

Wireless version: V5.0 Product material: Environmentally friendly two-color tarpaulin
Output power: 2*12W Battery capacity: 3600mAh
Working time: 17h (30% volume) Charging time: 4h
Product weight: 520g Product color: black
Product size: 195*70*70mm Operating temperature: -20°-65°C




New

120W
Output Power



XL-SP911

Wireless version: V5.0 Product material: Streamlined iron grid
Output power: (40W*2+20W*2)120W Battery capacity: 16000mAh
Working time: 7h(35% volume) Charging time: 7h
Product weight: 2650g Product color: black
Product size: 292*112*101mm Operating temperature: -20°-65°C





XL-SP908



XL-SP912

New

60W
Output Power



XL-SP910

Wireless version: V5.0 Product material: Streamlined iron grid
Output power: 60W Battery capacity: 6000mAh(11.1V/2000mAh)
Working time: 2.5h Charging time: 3h
Product weight: 1780g Product color: black
Product size: 205*123*94.7mm Operating temperature: -20°-65°C




New

60W
Output Power



XL-SP908

Wireless version: V5.0 Product material: Environmentally friendly two-color tarpaulin
Output power: 60W Battery capacity: 8000mAh
Working time: 20h (52% volume) Charging time: 5h
Product weight: 1160g Product color: black
Product size: 240*100*72mm Operating temperature: -20°-65°C



New

120W
Output Power



XL-SP912

Wireless version: V5.3 Product material: Environmentally friendly two-color tarpaulin
Output power: 120W Battery capacity: 16000mAh
Working time: 9h (50% volume) Charging time: 7h
Product weight: 2600g Product color: black
Product size: 300*162*120mm Operating temperature: -20°-65°C



New

150W
Output Power



XL-SP913

Wireless version: V5.0 Product material: Streamlined iron grid
Output power: (50W*2+25W*2)150W
Battery capacity: 18000mAh(11.1V/6000mAh)
Working time: 27h(50% volume) Charging time: about 7h
Product weight: 3150g Product color: black
Product size: 350*183*105mm Operating temperature: -20°-65°C





XL-SP915




XL-SP917

New

150W

Output Power



XL-SP915

Wireless version: V5.0

Product material: Environmentally friendly HB grade flame retardant silicone

Output power: (45W*2+30W*2)150W

Battery capacity: 24000mAh (3.7V/2000mAh*12)

Working time: 8.15h(50% volume) Charging time: 9h

Product weight: 4250g Product color: black

Product size: 264*253*115mm Operating temperature: -20°-65°C

EQ

MULTI-FUNCTION SOUND ADJUSTMENT FUNCTION

TWS DUAL

TWS DUAL FUNCTION

External Microphone

Karaoke

CARD

PLAYBACK

TYPE-C INTERFACE


CHARGING

6.3MM INSTRUMENT

AUDIO INTERFACE

EXTERNAL

AUDIO SOURCE



New

150W

Output Power



XL-SP914

Wireless version: V5.0 Product material: Streamlined iron grid

Output power: (45W*2+30W*2)150W

Battery capacity: 24000mAh(3.7V/2000mAh*12)

Working time: 20h(30% volume) Charging time: 8h

Product weight: 4250g Product color: black

Product size: 280*240*120mm Operating temperature: -20°-65°C

EQ

MULTI-FUNCTION SOUND ADJUSTMENT FUNCTION

TWS DUAL

TWS DUAL FUNCTION

External Microphone

Karaoke

CARD

PLAYBACK

TYPE-C INTERFACE

CHARGING

6.3MM INSTRUMENT

AUDIO INTERFACE

EXTERNAL

AUDIO SOURCE



New

300W

Output Power



XL-SP916

Wireless version: V5.0 Product material: Streamlined iron mesh

Output power: 300W Battery capacity: 40000mAh

Power input: DC 24V/3A Working time: 10h (50% volume)

Charging time: about 3h Product weight: 8.5kg Product color: black

Product size: 472*168*190mm Operating temperature: 0°-45°C

EQ

MULTI-FUNCTION SOUND ADJUSTMENT FUNCTION

TWS DUAL

TWS DUAL FUNCTION

Support Wireless

Microphone

U disk

Model

Instrument

Input

Support 3.5mm

Monitor Output

Supports Wired

Microphone Connection



New

120W

Output Power



XL-SP917

Wireless version: V5.0 Product material: Streamlined iron grid

Output power: 120W Battery capacity: 12000mAh (11.1V/4000mAh)

Working time: 15h(50% volume) Charging time: 6h

Product weight: 2590g Product color: black

Product size: 230*100*182.7mm Operating temperature: 0°-45°C

EQ

MULTI-FUNCTION SOUND ADJUSTMENT FUNCTION

TWS DUAL

TWS DUAL FUNCTION

Support Wireless

Microphone

U disk

Model

Support 3.5mm

Monitor Output

Supports Wired

Microphone Connection





XL-SP918



XL-SP921

New

200W
Output Power



XL-SP918

Wireless version: V5.0 Product material: environmentally friendly
HB grade Flame retardant plastic
Output power: 200W Battery capacity: 18000mAh (11.1V/6000mAh)
Working time: 10h (50% volume) Charging time: about 8h
Product weight: 4270g Product color: black
Product size: 260*173*105mm Operating temperature: -20°-65°C

- EQ MULTI-FUNCTION SOUND ADJUSTMENT
- TF CARD PLAYBACK
- TWS DUAL FUNCTION
- Support Wireless Microphone
- Support 3.5mm Monitor Output
- Supports Wired Microphone Connection



New

300W
Output Power



XL-SP919

Wireless version: V5.3 Product material: environmentally friendly
HB grade Flame retardant plastic
Output power: 300W Battery capacity: 30000mAh (18.5V/6000mAh)
Power input: PD fast charging 65W Working time: 12h (50% volume)
Charging time: 3.5h Product weight: 7800g Product color: black
Product size: 295*180*352.7mm Operating temperature: 0°-45°C

- EQ Multi-function Sound Adjustment
- TF card mode
- TWS DUAL FUNCTION
- Support Wireless Microphone
- U disk Model
- Support 3.5mm Monitor Output
- PD fast charge
- Supports Wired Microphone Connection



New

200W
Output Power



XL-SP920

Wireless version: V5.0 Product material: environmentally friendly
HB grade Flame retardant plastic
Output power: 200W Battery capacity: 18000mAh (11.1V/4000mAh)
Power input: 5V/3A Working time: 13h (50% volume)
Charging time: 6h Product weight: 4345g Product color: black
Product size: 400*115.4*215.5mm Operating temperature: 0°-45°C

- EQ Multi-function Sound Adjustment
- TF card mode
- Support Wireless Microphone
- U disk Model
- Support 3.5mm Monitor Output
- 3A fast charge
- Supports Wired Microphone



New

80W
Output Power



XL-SP921

Wireless version: V5.0 Product material: environmentally friendly
HB grade Flame retardant plastic
Output power: 80W Battery capacity: 8000mAh (7.4V/4000mAh)
Power input: 5V/3A Working time: 10h (50% volume)
Charging time: about 4h Product weight: 2473g Product color: black
Product size: 300*110.4*185mm Operating temperature: 0°-45°C

- EQ Multi-function Sound Adjustment
- TF card mode
- Support Wireless Microphone
- U disk Model
- Support 3.5mm Monitor Output
- 3A fast charge
- Supports Wired Microphone





New

150W
Output Power



XL-SP922

Wireless version: V5.0 Product material: environmentally friendly
HB grade Flame retardant plastic
Output power: 150W Battery capacity: 12000mAh(11.1V/4000mAh)
Power input: 5V/3A Working time: 15h (50% volume)
Charging time: about 6h Product weight: 2840g Product color: black
Product size: 261*110*246mm Operating temperature: -20°-65°C



New

300W
Output Power



XL-SP923

Wireless version: V5.0 Product material: environmentally friendly
HB grade Flame retardant plastic
Output power: 300W Battery capacity: 30000mAh(18.5V/6000mAh)
Power input: PD fast charging 60W Working time: 4h (50% volume)
Charging time: 3h Product weight: 7900g Product color: black
Product size: 500*275*160mm Operating temperature: -20°-65°C



New

200W
Output Power



XL-SP924

Wireless version: V5.3 Product material: ABS+iron mesh
Output power: 200W Battery capacity: 20000mAh
Working time: 9h(50% volume) Charging time: 4h30min
Product weight: 4800g Product color: Dark gray
Product size: 325*254*122.5mm Operating temperature: 0°-45°C



New

120W
Output Power



XL-SP925

Wireless version: V5.3 Product material: ABS+iron mesh
Output power: 120W Battery capacity: 12000mAh(7.4v/6000mA)
Working time: 16h(50% volume) Charging time: about 4h
Product weight: 3270g Product color: black
Product size: 181*365*134mm Operating temperature: 0°-45°C



VIDVIE

<https://vidvietech.com/>

Foshan
Office: D1-03, Building D, Nanhai New Economic Industry Center,
No. 1 Xianan Road, Guicheng Street, Nanhai District, Foshan City, Guangdong

Shop NO.1 : No. 127, the 1st floor, Guangzhou the thirteen-hongs Culture and Technology Center, Exhibition
Building on the right side of New Asia, No. 37 Xidi Erma Road, Liwan District, Guangzhou

Shenzhen
RmY2-5F-03, No.5 Creative Zone, Yayuan Road, Bantian Street, Longgang District, Shenzhen, China

Shop NO.2 : A46-47, 1/F, Yale Smart Wearable International Market, Block D, Electronic & Technology Building,
Huaqiang North, Shenzhen

Contact Us:

✉ business@vidvietech.com

☎ +86 18565066884

☎ Rain-VIDVIE



VIDVIE® is a registered trademark, owned by Shenzhen Aifeng Chengpin Trading Co., Ltd. Shenzhen Aifeng Chengpin Trading Co., Ltd. has all the right to interpret matters related to this album.
The products displayed in the VIDVIE full-category product catalog are new products as of January 2021. New products on the shelves after January 2021 are not in this catalog. You can consult our sales staff for the latest product information.
If the products shown in this album are revised in the future, please refer to the information provided by the salesperson of our company. This album is for reference only.